

## BRİK



**B**rik is a family of surface and recessed wall mount luminaires, made of high-grade ADC12 die-cast aluminium and treated with special corrosion resistant powder coat paint, IK08 rated suitable for harsh exterior application and sealed to IP65, downward illumination to reduce glare and provides visual comfort, sleek profile with no visible screws on front side, ideal for indoor and outdoor applications such as ramps, walkways, corridors and stairs, available in round, square and rectangle shapes with different sizes and wattages, customized solutions available upon request.

**Material-** High-grade die cast aluminium ADC12 housing with high corrosion resistance.

**Glass-** Tempered glass diffuser

**Efficacy-** 38 - 49lm/W

**Finish-** Black and white powder coated paint

**Input voltage-** 240V AC

**Life:** 50,000 Hours L70






Model number	Mount	Shape	Wattage	CCT	Controls
BR-R-S-8W-3K-S	R: Recessed S: Surface	C: Circular S: Square R: Rectangle	5W 8W 10W*	2700K 3000K 4000K 5000K	S: Standard A: 0-10V

\*10W is only available with rectangle shape

### Dimensions for recessed series



Recessed Circular





Recessed Square



Recessed Rectangle



Dimensions for surface series



Surface Circular



Surface Square



Surface Rectangle

